

# ALTAIR® POWERLOUVRE™ WINDOWS

for Residential and Commercial

Winner of the  
**2007 & 2014**  
**AWA**

*'Most Innovative  
Window System and  
Component'*  
Design Award



*breezway*®

# Powerlouvre™

## Window Automation Made Easy



The award winning Altair® Powerlouvre™ Window displays pure elegance with no visual indication of any external rods or automated device making this product a stylish option for contemporary **residential or commercial** building designs.



### An Automated Window System

The Powerlouvre Window has been developed to reach heights up to 2.7 metres and quietly opens to 87.5 degrees, automatically stopping at the fully open and fully closed positions or can be stopped in any intermediate position throughout the open/close cycle.

When fully open, the Powerlouvre System allows 90% natural ventilation through the entire window opening which helps keep the building at a comfortable temperature without the need for artificial cooling systems. This is in comparison to common powered awning windows that only provide between 12% - 30% air depending on the wind direction.

Powerlouvre Windows are ideal for out-of-reach locations to allow hot air to escape quickly with a simple press of a button. No fine motor skills or large control rods are required, encouraging occupants to operate the windows more frequently to ventilate the building. The Powerlouvre System can also make for great floor-to-ceiling feature windows to help improve the quality of indoor air so building occupants can be left feeling fresh and healthy.

### Altair® Powerlouvre™ Window Options

Available in the Breezway Easyscreen™ Window System, the Powerlouvre Window can be controlled by the Apptivate™ Advance Control Unit or integrated into a Building Management System to suit a wide range of budgets and control needs.

The selection process is also made easy as the standard Altair Louvre Window and the Powerlouvre Window are interchangeable in all aspects, enabling easy matching of automated and manual windows. For example, there is no change to the frame sizes and details, Product Performance Warranty or building installation method, and the Powerlouvre Window is available from the same suppliers.

Delivered to site fully assembled, Powerlouvre Windows remove the complexity of sourcing special trades to install motors and program the system.



#### Extensive Testing

- Salt mist = 1,000 hours
- Extreme humidity = 90% humidity at 35 degrees celcius
- Extreme heat = 60 degrees
- Extreme cold = 0 degrees
- Electromagnetic compatibility

#### Technical Specs

- 24V DC current
- Compatible with major switching systems
- 1 year electrical warranty

#### Size Specs

- Standard heights only
- Max width = 4000mm or 6 bays
- Min width = 400mm
- Frames can be coupled vertically or horizontally



Motor is concealed within the head of the window frame.



Bluetooth® Smart module to permit control by and communication with compatible smartphones & tablets (approximately 10m).



Automatic operation in response to an in-built temperature sensor that allows rooms to be naturally cooled or windows closed to retain warmth when required.



Automatic operation in response to pre-set timers which allows windows to be set to operate in anticipation of the building occupant's daily routine.



Compatible with the (optional) Breezway Rain Sensor to automatically close the Powerlouvre System in response to rain.



*Life's better with*  
Natural Ventilation

## Altair® Powerlouvre™ Standard Heights

### Altair® Powerlouvre™ Window in an Easyscreen™ System

No. of Blades	Height 152mm	Height 102mm
2	371mm	-
3	511mm	361mm
4	651mm	451mm
5	791mm	541mm
6	931mm	631mm
7	1071mm	721mm
8	1211mm	811mm
9	1351mm	901mm
10	1491mm	991mm
11	1631mm	1081mm
12	1771mm	1171mm
13	1911mm	1261mm
14	2051mm	1351mm
15	2191mm	1441mm
16	2331mm	1531mm
17	2471mm	1621mm
18	2611mm	1711mm

*breezway*®

Visit [www.breezway.com.my](http://www.breezway.com.my) for more information.

### Malaysia

Breezway (Malaysia) Sdn Bhd  
No.39, Jalan Wawasan 3/KU 7  
Kawasan Perindustrian Sungai Kapar Indah  
42200 Klang, Selangor Darul Ehsan.  
Reg# 601783-T  
Telephone: +60 3 3291 4885  
Email: [sales@breezway.com.my](mailto:sales@breezway.com.my)

### Breezway Experience Centre

B1-1-10, Perniagaan Temasya 8,  
No.13 Jalan Doktor U1/67, Glenmarie  
40150 Shah Alam, Malaysia  
Telephone: +60 3 5037 2116  
Email: [southeastasiasonsales@breezway.com.my](mailto:southeastasiasonsales@breezway.com.my)



AUSTRALIAN  
GLASS &  
WINDOW  
ASSOCIATION  
MEMBER

